MYCOLOGICAL RESEARCH

THE INTERNATIONAL JOURNAL OF FUNGAL BIOLOGY

VOLUME 107, 2003

EXECUTIVE EDITOR

Professor David L. Hawksworth CBE, *MycoNova, The Yellow House, Calle Aguila 12, Colonia La Maliciosa, Mataelpino, E-28492 Madrid, Spain; tel./fax: [+34] 91 857 3640; e-mail: myconova@terra.es*

EDITORS

Dr S. J. Assinder, *School of Biological Sciences, University of Wales, Bangor, Gwynedd LL57 2UW, UK.*

Dr D. J. Bond, *Institute of Cell and Molecular Biology, University of Edinburgh, Darwin Building, Edinburgh EH9 3JH, UK.*

Professor P. Bonfante, *Dipartimento di Biologia Vegetale dell'Università, Viala Mattioli 25, 10125 Torino, Italy.*

Professor J. W. G. Cairney, *Mychorrhiza Research Group, School of Science, Food and Horticulture, Parramatta Campus, University of Western Sydney, Locked Bag 1797, Penrith South DC NSW 1797, Australia.*

Professor Z.-C. Chen, *Developing Centre for Asian Mycology, 20 Lane 185 Section 2, Chong-Hua East Road, Tainan City, Taiwan.*

Dr M. Grube, *Institut für Botanik, Karl-Franzens-Universität, Holteigasse 6, 8010 Graz, Austria.*

Dr N. Hallenberg, *Botanical Institute, University of Göteborg, Box 461, S-40530 Göteborg, Sweden.*

Dr I. B. Heath, *Department of Biology, York University, 4700 Keele Street, Toronto Ontario M3J 1P3, Canada.*

Dr D. S. Hibbett, *Biology Department, Clark University, 950 Main Street, Worcester, MA 01610-1477, USA.*

Dr D. W. Hollomon, *Department of Biochemistry, School of Medical Sciences, University of Bristol, Bristol BS8 1UG, UK.*

Dr P. Hooley, *School of Applied Sciences, University of Wolverhampton, Walfruna Street, Wolverhampton WV1 1SB.*

Dr K. D. Hyde, *Centre for Research in Fungal Diversity, Department of Ecology and Biodiversity, University of Hong Kong, Pokfulam Road, Hong Kong P.R. China.*

Dr J. R. Leake, *Department of Animal & Plant Sciences, University of Sheffield, Sheffield S10 2TN, UK.*

Professor Dr J. I. Lelley, *Institut für Pilzforschung, Gesellschaft für angewandte Mykologie and Umweltstudien mbH (GAMU), Hüttenallee 241, D-47800 Krefeld, Germany.*

Dr D. J. Lodge, *Center for Forest Research, USDA Forest Service, P.O. Box 1377, Luquillo, Puerto Rico 00773, USA.*

Professor N. Magan, *Biotechnology Centre, University of Cranfield, Silsoe, Beds MK45 4DT, UK.*

Dr H. Thorsten Lumbsch, *Department of Botany, The Field Museum of Natural History, 1400 Lake Shore Drive, Chicago, Illinois 60605-2496, USA.*

Dr D. T. Mitchell, *Department of Botany, National University of Ireland, Belfield, Dublin 4, Ireland.*

Prof. Dr H.-P. Molitoris, *Botanisches Institut, Universität Regensburg, Universitatsstrasse 31, D-93040 Regensburg, Germany.*

Dr N. P. Money, *Department of Botany, Miami University, 316 Biological Sciences Building, Oxford, OH 45056, USA.*

Dr S. B. Pointing, *Centre for Research in Fungal Diversity, Department of Ecology and Biodiversity, University of Hong Kong, Pokfulam Road, Hong Kong P.R. China.*

Dr B. Schulz, *Institut für Mikrobiologie, Technische Universität Braunschweig, Spielmannstrasse 7, Postfach 33 29, D-38023 Braunschweig, Germany.*

Dr Jeffrey K. Stone, *Department of Botany and Plant Pathology, Oregon State University, Cordley 2082, Corvallis, Oregon 07331-2902, USA.*

Professor Susumu Takamatsu, *Laboratory of Plant Pathology, Faculty of Bioresources, Mie University, 1515 Kamihana, Tsu-city 514-8507, Japan.*

CAMBRIDGE
UNIVERSITY PRESS

© The British Mycological Society 2003
Cambridge University Press
The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York, NY 10011–4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa
Printed in the United Kingdom at the University Press, Cambridge

CONTENTS

PART 1 JANUARY 2003

Mycological Research News 1
In this issue – Electronic manuscript submission and tracking – Sex and stress in soil fungi

Ectomycorrhizas involving sebacinoid mycobionts
A. Braun, M. Weiß & R. Bauer 3

Phylogenetic analysis of *Puccinia distincta* and *P. lagenophorae*, two closely related rust fungi causing epidemics on *Asteraceae* in Europe
R. W. S. Weber, J. Webster & G. Engel 15

Nuclear and mitochondrial rDNA variability in *Crinipellis perniciosa* from different geographic origins and hosts
M. C. C. de Arruda, M. A. S. V. Ferreira, R. N. G. Miller, M. L. V. Resende & M. S. S. Felipe 25

Cloning of and genetic variation in protease VCP1 from the nematophagous fungus *Pochonia chlamydosporia*
C. O. Morton, P. R. Hirsch, J. P. Peberdy & B. R. Kerry 38

Interactions between nematophagous fungi and consequences for their potential as biological agents for the control of potato cyst nematodes
H. Jacobs, S. N. Gray & D. H. Crump 47

Quantitative inoculation of willow rust *Melampsora larici-epitea* with the mycoparasite *Sphaerellopsis filum* (teleomorph *Eudarluca caricis*)
M. H. Pei, T. Hunter, C. Ruiz, C. Bayon & J. Harris 57

Effect of mycoparasitic fungi on the development of *Sphaerotheca fusca* in melon leaves
D. Romero, M. E. Rivera, F. M. Cazorla, A. De Vicente & A. Pérez-García 64

A high concentration of glucose inhibits *Tuber borchii* mycelium growth: a biochemical investigation
R. Saltarelli, P. Ceccaroli, E. Polidori, B. Citterio, L. Vallorani & V. Stocchi 72

A functional interpretation of the role of the reticuloperidium in whole-ascoma dispersal by arthropods
M. D. Greif & R. S. Currah 77

Viegasella and *Mintera*, two new genera of *Parmulariaceae* (*Ascomycota*), with notes on the species referred to *Schneepia*
C. A. Inácio & P. F. Cannon 82

Perenniporiella gen. nov. segregated from *Perenniporia*, including a key to neotropical *Perenniporia* species with pileate basidiomes
C. DeCock & L. Ryvarden 93

Additional species of *Cheiromycina* (lichenized hyphomycetes), with a key to the known species
A. Aptroot & U. Schiefelbein 104

Native *Venturia inopina* sp. nov., specific to *Populus trichocarpa* and its hybrids
G. Newcombe 108

Coelomycetes in Dominican and Mexican amber
G. Poinar jr 117

The oldest fossil myxogastroid slime mould
H. Dörfelt, A. R. Schmidt, P. Ullmann & J. Wunderlich 123

Book review
Tropical Mycology 127

PART 2 FEBRUARY 2003

Mycological Research News 129
In this issue – An Amanita muscaria *fruit body with a pored hymenium – Aspergillosis in sea fans*

Review

Amanita muscaria: chemistry, biology, toxicology, and ethnomycology
D. Michelot & L. M. Melendez-Howell 131

Papers

Double-stranded RNA elements associated with the MVX disease of *Agaricus bisporus*
H. M. Grogan, B. A. T. Adie, R. H. Gaze, M. P. Challen & P. R. Mills 147

Genetic structure of Fennoscandian populations of the threatened wood-decay fungus *Fomitopsis rosea* (*Basidiomycota*)
H. Kauserud & T. Schumacher 155

Phylogenetic relationship of *Sclerotium rolfsii* (teleomorph *Athelia rolfsii*) and *S. delphinii* based on ITS sequences
H. Okabe & N. Matsumoto 164

Shared ITS DNA substitutions in isolates of opposite mating type reveal a recombining history for three presumed asexual species in the filamentous ascomycete genus *Alternaria*
M. L. Berbee, B. P. Payne, G. Zhang, R. G. Roberts & B. G. Turgeon 169

Genetic diversity and virulence of *Rhizoctonia* species associated with plantings of *Lotus corniculatus*
K. M. Emery, P. R. Beuselinck & J. T. English 183

Polymorphism of trichothecene biosynthesis genes in deoxynivalenol- and nivalenol-producing *Fusarium graminearum* isolates
H.-S. Kim, T. Lee, M. Dawlatana, S.-H. Yun & Y.-W. Lee 190

PCR-based DNA fingerprinting indicates host-related genetic variation in the nematophagous fungus *Pochonia chlamydosporia*
C. O. Morton, T. H. Mauchline, B. R. Kerry & P. R. Hirsch 198

Approaches for monitoring the release of *Pochonia chlamydosporia* var. *catenulata*, a biocontrol agent of root-knot nematodes
S. D. Atkins, L. Hidalgo-Diaz, I. M. Clark, C. O. Morton, N. Montes de Oca, P. A. Gray & B. R. Kerry 206

Ascospore release and survival in *Sclerotinia sclerotiorum*
J. P. Clarkson, J. Staveley, K. Phelps, C. S. Young & J. M. Whipps 213

Morphology and physiology of the dimorphic fungus *Mucor circinelloides* (syn. *M. racemosus*) during anaerobic growth
T. L. Lübbehüsen, J. Nielsen & M. McIntyre 223

Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical *Xylariaceae*
S. B. Pointing, M. M. Parungao & K. D. Hyde 231

New species, notes and key to the aeroaquatic genera *Beverwykella* and *Ramicephala* gen. nov.
H. Voglmayr & G. Delgado-Rodríguez 236

First report of *Basidiolum fimbriatum* since 1861, with comments on its development, occurrence, distribution and relationship with other fungi
M. M. White 245

Sooty moulds from European Tertiary amber, with notes on the systematic position of *Rosaria* ('*Cyanobacteria*')
J. Rikkinen, H. Dörfelt, A. R. Schmidt & J. Wunderlich 251

PART 3 MARCH 2003

Mycological Research News 257
In this issue – *Sudden oak death*: Phytophthora ramorum *exhibits transatlantic differences* – Cordyceps sinensis *and* Ganoderma lucidum *amongst top* '*herbal*' *medicines*

Screening for tolerance to bavistin, a benzimidazole fungicide containing methyl benzimidazol-2-yl carbamate (MBC), in *Beauveria bassiana*: sequence analysis of the β-tubulin gene to identify mutations conferring tolerance
J. A. Butters, K. U. Devi, C. M. Mohan & V. Sridevi 260

Use of *Coniothyrium minitans* transformed with the hygromycin B resistance gene to study survival and infection of *Sclerotinia sclerotiorum* sclerotia in soil
E. E. Jones, A. Stewart & J. M. Whipps 267

Multiple new phenotypic taxa from trees and riparian ecosystems in *Phytophthora gonapodyides–P. megasperma* ITS Clade 6, which tend to be high-temperature tolerant and either inbreeding or sterile
C. M. Brasier, D. E. L. Cooke, J. M. Duncan & E. M. Hansen 277

Molecular characterisation of *Armillaria* species from Zimbabwe
E. Mwenje, B. D. Wingfield, M. P. A. Coetzee & M. J. Wingfield 291

AFLP analysis of a worldwide collection of *Didymella bryoniae*
R. T. Kothera, A. P. Keinath, R. A. Dean & M. W. Farnham 297

The synthesis of indole-3-acetic acid by the industrially important white-rot fungus *Lentinus sajor-caju* under different culture conditions
F. Yurekli, H. Geckil & F. Topcuoglu 305

Some endophytic fungi reduce the density of pustules of *Puccinia recondita* f. sp. *tritici* in wheat
J. Dingle & P. A. McGee 310

Effects of thinning treatment on an ectomycorrhizal succession under Scots pine
P. J. A. Shaw, G. Kibby & J. Mayes 317

Primary resource capture in two sympatric *Armillaria* species in managed Norway spruce forests
S. Prospero, O. Holdenrieder & D. Rigling 329

Delimitation of *Umbelopsis* (*Mucorales*, *Umbelopsidaceae* fam. nov.) based on ITS sequence and RFLP data
W. Meyer & W. Gams 339

Mycosphaerella species associated with *Eucalyptus* in south-western Australia: new species, new records and a key
A. Maxwell, B. Dell, H. G. Neumeister-Kemp & G. E. St J. Hardy 351

New species of *Anthostomella* on fynbos, with a key to the genus in South Africa
S. Lee & P. W. Crous 360

Lewia avenicola sp. nov. and its *Alternaria* anamorph from oat grain, with a key to the species of *Lewia*
H. Kwaśna & B. Kosiak 371

Obituary
John Colhoun (1913–2002): cryptogamist and plant pathologist
H. Epton 377

Book reviews
Mr Bloomfield's Orchards: the mysterious world of mushrooms, molds and mycologists – Schimmelpilze und deren Bestimmung – The Fungi – Plant Pathologist's Pocketbook – Mycorrhizal Technology in Agriculture: from genes to bioproducts 382

PART 4 APRIL 2003

Mycological Research News
In this issue – Fungi from coral reefs: a commentary 385

Characterization of an α-L-arabinofuranosidase gene (*abf*1) from *Penicillium purpurogenum* and its expression
M. Carvallo, P. de Ioannes, C. Navarro, R. Chavez, A. Peirano, P. Bull & J. Eyzaguirre 388

Proteonomic analysis of asexual development of *Phytophthora palmivora*
S. J. Shepherd, P. van West & N. A. R. Gow 395

Efficient isolation of genes differentially expressed on cellulose by suppression subtractive hybridization in *Agaricus bisporus*
P. Morales & C. F. Thurston 401

Phenotypic plasticity and evolutionary potential in somatic cells of *Armillaria gallica*
D. C. Peabody, R. B. Peabody, M. G. Tyrrell, M. J. Towle & E. M. Johnson 408

Utilisation of inorganic and organic nitrogen sources by *Amanita* species native to temperate eastern Australia
N. A. Sawyer, S. M. Chambers & J. W. G. Cairney 413

Efficacy of microorganisms antagonistic to *Rhizoctonia cerealis* and their cell wall degrading enzymatic activities
G. Innocenti, R. Roberti, M. Montanari & E. Zakrisson 421

ITS probe development for specific detection of *Rhizoctonia* spp. and *Suillus bovinus* based on Southern blot and liquid hybridisation-fragment length polymorphism
H. Grönberg, L. Paulin & R. Sen 428

ITS-RFLP and ITS sequence analysis of a foliar endophytic *Phyllosticta* from different tropical trees
A. K. Pandey, M. S. Reddy & T. Suryanarayanan 439

Two new closely related species of *Pseudocercospora* on unrelated host families from south-eastern Australia
V. Beilharz & J. Cunnington 445

Electrophoretic karyotype analysis of *Crinipellis perniciosa*, the causal agent of witches' broom disease of *Theobroma cacao*
J. Rincones, L. W. Meinhardt, B. C. Vidal & G. A. G. Pereira 452

Molecular study of *Dermatocarpon miniatum* (*Verrucariales*) and allied taxa
S. Heiðmarsson 459

The *Ophiostoma piceae* complex in the Southern Hemisphere: a phylogenetic study
Z. W. de Beer, B. D. Wingfield & M. J. Wingfield 469

Phytophthora inundata sp. nov., a part heterothallic pathogen of trees and shrubs in wet or flooded soils
C. M. Brasier, E. Sanchez-Hernandez & S. A. Kirk 477

First records of ectomycorrhizal *Cortinarius* species (*Agaricales, Basidiomycetes*) from tropical India and their phylogenetic position based on rDNA ITS sequences
U. Peintner, M. M. Moser, K. A. Thomas & P. Manimohan 485

New species of *Inocybe* from *Dicymbe* forests of Guyana
P. B. Matheny, M. C. Aime & T. W. Henkel 495

Obituary
Meinhard Michael Moser (1924–2002): doyen of European agaricologists
E. Horak, U. Peintner & R. Pöder 506

Book reviews
Fungal Populations and Species – Fungi in Marine Environments – Identification of Common Aspergillus *Species – Fungi as Biocontrol Agents: progress, problems and potential – Advances in Microbial Control of Insect Pests – Transposonen und Regulation der Genexpression bei den Antibiotika-produzierenden Pilzen* Penicillium chrysogenum *und* Acremonium chrysogenum 509

Erratum 511

PART 5 MAY 2003

Mycological Research News 513
In this issue – How safe is Aspergillus niger*? – Advantage, invasive plants – Forthcoming international mycological meetings*

Neophaeosphaeria and *Phaeosphaeriopsis*, segregates of *Paraphaeosphaeria*
M. P. S. Câmara, A. W. Ramaley, L. A. Castlebury & M. E. Palm 516

Marchandiobasidium aurantiacum gen. sp. nov., the teleomorph of *Marchandiomyces aurantiacus* (*Basidiomycota, Ceratobasidiales*)
P. Diederich, B. Schultheis & M. Blackwell 523

Species specific identification of the *Neofabraea* pathogen complex associated with pome fruits using PCR and multiplex DNA amplification
T. D. Gariépy, C. A. Lévesque, S. N. de Jong & J. E. Rahe 528

A molecular phylogeny of *Pythium insidiosum*
A. M. Schurko, L. Mendoza, C. A. Lévesque, N. L. Désaulniers, A. W. A. M. de Cock & G. R. Klassen 537

Molecular genetic variability of Australian isolates of five cereal rust pathogens
F. J. Keiper, M. J. Hayden, R. F. Park & C. R. Wellings 545

Multiple gene genealogies and microsatellite markers reflect relationships between morphotypes of *Sphaeropsis sapinea* and distinguish a new species of *Diplodia*
J. de Wet, T. Burgess, B. Slippers, O. Preisig, B. D. Wingfield & M. J. Wingfield 557

Genetic variation in *Corynespora cassiicola*: a possible relationship between host origin and virulence
W. P. K. Silva, E. H. Karunanayake, R. L. C. Wijesundera & U. M. S. Priyanka 567

Telomere fingerprinting for assessing chromosome number, isolate typing and recombination in the entomopathogen *Beauveria bassiana*
J. Padmavathi, K. U. Devi, C. U. M. Rao & N. N. R. Reddy 572

Cytotoxicity against insect cells of entomopathogenic fungi of the genera *Hypocrella* (anamorph *Aschersonia*): possible agents for biological control
P. Watts, P. Kittakoop, S. Veeranondha, S. Wanasith, R. Thongwichian, P. Saisaha, S. Intamas & N. L. Hywel-Jones 581

Population dynamics of epiphytic mycoparasites of the genera *Clonostachys* and *Fusarium* for the biocontrol of black pod (*Phytophthora palmivora*) and moniliasis (*Moniliophthora roreri*) on cocoa (*Theobroma cacoa*)
C. M. ten Hoopen, R. Rees, P. Aisa, T. Stirrup & U. Krauss 587

Polyporus s. str. in southern South America: isoenzyme analysis
R. M. Borges da Silveira, B. O. Saidman & J. E. Wright 597

Differentiation of *Agaricus* species and other homobasidiomycetes based on volatile production patterns using an electronic nose system
G. Keshri, M. Challen, T. Elliot & N. Magan 609

Long-term viability and infectivity of intraradical forms of *Glomus intraradices* vesicles encapsulated in alginate beads
C. Plenchette & D. G. Strullu 614

Effect of intraspecific competition by *Aspergillus flavus* on aflatoxin formation in suspended disc culture
D. T. Wicklow, J. R. Bobell & D. E. Palmquist 617

β-carotene production and sclerotial differentiation in *Sclerotinia minor*
G. Zervoudakis, N. Tairis, G. Salahas & C. D. Georgiou 624

Assemblage structure, species richness, abundance, and distribution of fungal fruit bodies in a seven year plot-based survey near Vienna
G. Straatsma & I. Krisai-Greilhuber 632

PART 6 JUNE 2003

Mycological Research News
In this issue – Molecules vs *morphology – The name* Fusarium moniliforme *should no longer be used – Differential use of* Termitomyces *by termites* 641

Phylogeography of *Hyphoderma setigerum* (*Basidiomycota*) in the Northern Hemisphere
R. H. Nilsson, N. Hallenberg, B. Nordén, N. Maekawa & S.-H. Wu 645

A phylogenetic analysis of *Mycosphaerella* leaf spot pathogens of *Proteaceae*
J. E. Taylor, J. Z. Groenewald & P. W. Crous 653

Xerocomus cisalpinus sp. nov., and the delimitation of species in the *X. chrysenteron* complex based on morphology and rDNA-LSU sequences
U. Peintner, H. Ladurner & G. Simonini 659

Molecular identification of white morphotype strains of endophytic fungi from *Pinus tabulaeformis*
L. D. Guo, G. R. Huang, Y. Wang, W. H. He, W. H. Zheng & K. D. Hyde 680

Phylogeny and taxonomy of root-inhabiting *Cryptosporiopsis species*, and *C. rhizophila* sp. nov., a fungus inhabiting roots of several *Ericaceae*
G. J. M. Verkley, J. D. Zijlstra, R. C. Summerbell & F. Berendse 689

Development of markers for simple sequence repeat-rich regions that discriminate between *Pisolithus albus* and *P. microcarpus*
C. J. Hitchcock, S. M. Chambers, I. C. Anderson & J. W. G. Cairney 699

Molecular and physiological characterization of Italian isolates of *Pyrenochaeta lycopersici*
A. Infantino, M. Aragona, A. Brunetti, E. Lahoz, A. Oliva & A. Porta-Puglia 707

Isolation of *Penicillium nalgiovense* strains impaired in penicillin production by disruption of the *pcbAB* gene and application as starters on cured meat products
F. Laich, F. Fierro & J. F. Martin 717

Identification of a new laccase gene and confirmation of genomic predictions by cDNA sequences of *Trametes* sp. I-62 laccase family
T. González, M. del C. Terrón, E. Zapico, S. Yagüe, A. Téllez, H. Junca & A. González 727

Sexual reactions in *Mortierellales* are mediated by the trisporic acid system
C. Schimek, K. Kleppe, A.-R. Saleem, K. Voigt, A. Burmester & J. Wöstemeyer 736

Estimation of microfungal diversity of tropical rainforest leaf litter using particle filtration: the effects of leaf storage and surface treatment
B. Paulus, P. Gadek & K. D. Hyde 748

Lentinellus herbarum, a rediscovered unclamped species
P.-A. Moreau, G. Garcia & P. Roux 757

A non-gilled hymenomycete in Cretaceous amber
G. O. Poinar jr & A. E. Brown 763

PART 7 JULY 2003

Mycological Research News
In this issue – Confusion over Amanita pantherina *in Japan – Foliicolous lichens are benign – A plethora of bryophilous niches – A longevity gene in* Saccharomyces 769

Phytophthora pseudosyringae sp. nov., a new species causing root and collar rot of deciduous tree species in Europe
T. Jung, J. Nechwatal, D. E. L. Cooke, G. Hartmann, M. Blaschke, W. F. Oßwald, J. M. Duncan & C. Delatour 772

Identification of *Pythium oligandrum* using species-specific ITS rDNA PCR oligonucleotides
S. A. C. Godfrey, R. D. Monds, D. T. Lash & J. W. Marshall 790

Puccinia tanaceti: specialist or generalist?
G. Newcombe 797

Agrobacterium and PEG-mediated transformation of the phytopathogen *Venturia inaequalis*
A. M. Fitzgerald, A. M. Mudge, A. P. Gleave & K. M. Plummer 803

Analysis of rDNA ITS sequences to determine genetic relationships among, and provide a basis for simplified diagnosis of, *Fusarium* species causing crown rot and head blight of cereals
M.-K. Tan & L. M. Niessen 811

Morphology of *Verticillium dahliae* and *V. tricorpus* on semi-selective media used for the detection of *V. dahliae* in soil
J.-K. C. Goud, A. J. Termorshuizen & W. Gams 822

Genetic analysis of morphological variants of *Aspergillus parasiticus* deficient in secondary metabolite production
S. P. Kale, J. W. Cary, C. Baker, D. Walker, D. Bhatnagar & J. W. Bennett 831

Partial retrotransposon-like DNA sequence in the genomic clone of *Aspergillus flavus*, pAF28
P. A. Okubara, B. K. Tibbot, A. S. Tarun, C. E. MacAlpin & S.-S. T. Hua 841

Mycelial incompatability operative in pairings between single basidiospore isolates of *Helicobasidium mompa*
K.-I. Ikeda, H. Nakamura & N. Matsumoto 847

Evidence for involvement of two napthol reductases in the first reduction step of melanin biosynthesis pathway of *Colletotrichum lagenarium*
G. Tsuji, T. Sugahara, I. Fujii, Y. Mori, Y. Ebizuka, T. Shiraishi & Y. Kubo 854

Nutritional influence on the ability of fungal mycelia to penetrate toxic metal-containing domains
M. Fomina, K. Ritz & G. M. Gadd 861

Effect of salts, vitamins, sugars and nitrogen sources on the growth of three genera of *Entomophthora: Batkoa, Furia*, and *Neozygites*
L. G. Leite, S. B. Alves, A. Batista Filho & D. W. Roberts 872

Mycobiota associated with the coffee berry borer (*Hypothenemus hampei*) in Mexico
J. Pérez, F. Infante, F. E. Vega, F. Holguín, J. Macías, J. Valle, G. Nieto, S. W. Peterson, C. P. Kurtzman & K. O'Donnell 879

Monacrosporium janus sp. nov., a new nematode-trapping hyphomycete parasitizing sclerotia and hyphae of *Sclerotinia sclerotiorum*
S.-D. Li, Z.-Q. Miao, Y.-H. Zhang & X.-Z. Liu 888

Book reviews
Phylosphere Microbiology – Wine: a scientific exploration – Antifungal Agents: advances and problems – Powdery Mildews: a comprehensive treatise 895

PART 8 AUGUST 2003

Mycological Research News 897
In this issue – Kelo trees: a vanishing fungal habitat – Polarized growth in fission yeast – Comparative genomics and functional elements in the yeast genome – When physics meets biology: high resolution laser-based techniques to study plant–microbe interactions – Acknowledgement

Review
The full-length phylogenetic tree from 1551 ribosomal sequences of chitinous fungi, *Fungi*
A. Tehler, D. P. Little & J. S. Farris 901

Papers
Nuclei, micronuclei and appendages in tri- and tetraradiate conidia of *Cornutispora* and four other coelomycete genera
E. Punithalingam 917

Rhodotorulic acid production by *Rhodotorula mucilaginosa*
D. Andersen, J. C. Renshaw & M. G. Wiebe 949

Heterobasidiomycetes form symbiotic associations with hepatics: *Jungermanniales* have sebacinoid mycobionts while *Aneura pinguis* (*Metzgeriales*) is associated with a *Tulasnella species*
I. Kottke, A. Beiter, M. Weiss, I. Haug, F. Oberwinkler & M. Nebel 957

Taxonomy and toxicity of *Conocybe lactea* and related species
H. E. Hallen, R. Watling & G. C. Adams 969

Production of swainsonine by fungal endophytes of locoweed
K. Braun, J. Romero, C. Liddell & R. Creamer 980

Confocal imaging reveals structural detail of the cell nucleus and ascospore formation in lichenized fungi
H. Wolinski 989

Enzyme production by *Mycena galopus* mycelium in artificial media and in *Picea sitchensis* F_1 horizon needle litter
A. Ghosh, J. C. Frankland, C. F. Thurston & C. H. Robinson 996

PART 9 SEPTEMBER 2003

Mycological Research News 1009
In this issue – Nutrient transfer from birch to liverwort via *a fungus – The mycosome hypothesis –* Neurospora crassa *has twice the genes of* Schizosaccharomyces pombe – Mr Bloomfield's Orchard (*Notice*)

Dynamic changes of rDNA condensation state during mitosis in filamentous fungi revealed by fluorescence *in situ* hybridisation
M. Taga, D. Tsuchiya & M. Murata 1012

Morphology and ultrastructure of *Neolecta* species
S. Landvik, T. K. Schumacher, O. E. Eriksson & S. T. Moss 1021

Phylogenetic relationships of the genus *Phanerochaete* inferred from the internal transcribed spacer region
T. H. de Koker, K. K. Nakasone, J. Haarhof, H. H. Burdsall jr & B. J. H. Janse 1032

Identification and molecular phylogeny of *Epulorhiza* isolates from tropical orchids
M. Ma, T. K. Tan & S. M. Wong 1041

Determination of biological species and analysis of genetic variability by RAPD of isolates of *Pleurotus* subgenus *Coremiopleurotus*
M. Capelari & M. H. P. Fungaro 1050

Telomeric fingerprinting of the violet root rot fungus, *Helicobasidium mompa*: a useful tool for karyotype estimation
T. Aimi, S. Kano, Y. Iwasaki & T. Morinaga 1055

Heterologous diploid nuclei in the violet root rot fungus, *Helicobasidium mompa*
T. Aimi, Y. Iwasaki, S. Kano, Y. Yotsutani & T. Morinaga 1060

RAPD analyses of recombination processes in the entomopathogenic fungus *Beauveria bassiana*
R. R. Dalzoto, C. Glienke-Blanco, V. Kava-Cordeiro, W. L. Araújo & J. L. Azevedo 1069

Action spectrum for the induction of hyphal branches of an arbuscular mycorrhizal fungus: exposure sites *versus* branching sites
G. Nagahashi & D. D. Douds jr 1075

Differential expression of *Glomus intraradices* genes in external mycelium and mycorrhizal roots of tomato and barley
G. Delp, S. Timonen, G. M. Rosewame, S. J. Barker & S. Smith 1083

Infection of barley roots by *Chaetomium globosum*: evidence for a protective role of the exodermis
A. Reissinger, S. Winter, S. Steckelbroeck, W. Hartung & R. A. Sikora 1094

Responses of the root rot fungus *Collybia fusipes* to soil waterlogging and oxygen availability
C. Camy, E. Dreyer, C. Delatour & B. Marçais 1103

Ascoboytryozyma cognata sp. nov., a new ascomycetous yeast associated with nematodes from wood-boring beetle galleries
J. Kerrigan, M. T. Smith, J. D. Rogers, G. A. Poot & G. W. Douhan 1110

PART 10 OCTOBER 2003

Mycological Research News 1121
In this issue – Vagaries in interest in natural products by drug discovery companies

Topology: a novel method to describe branching patterns in *Peronospora viciae* colonies
A. Ott, P. T. N. Spencer-Phillips, N. Willey & M. A. Johnston 1123

Phylogenetic relationships of *Peronospora* and related genera based on nuclear ribosomal ITS sequences
H. Voglmayr 1132

Morphological and molecular phylogenetic studies in South American *Cortinarius* species
S. Garnica, M. Weiß & F. Oberwinkler 1143

Distribution of *Amanita* spp. genotypes under eastern Australian sclerophyll vegetation
N. A. Sawyer, S. M. Chambers & J. W. G. Cairney 1157

Analysis of nrDNA sequences and microsatellite allele frequencies reveals a cryptic chanterelle species *Cantharellus cascadensis* sp. nov. from the American Pacific Northwest
S. M. Dunham, T. E. O'Dell & R. Molina 1163

Characterization of field-isolates and derived DMI-resistant strains of *Cercopsora beticola*
M. Moretti, A. Arnoldi, A. D'Agostina, G. Farina & F. Gozzo 1178

Nuclear large subunit rDNA group I intron distribution in a population of *Beauveria bassiana* strains: phylogenetic implications
C. Wang, Z. Li, M. A. Typas & T. M. Butt 1189

Novel illudins from *Coprinopsis episcopalis* (syn. *Coprinus episcopalis*), and the distribution of illudin-like compounds among filamentous fungi
A. Gonzalez del Val, G. Platas, F. Arenal, J. C. Orihuela, M. Garcia, P. Hernández, I. Royo, N. De Pedro, L. L. Silver, K. Young, M. F. Vicente & F. Pelaez 1201

Development of *in situ* and *ex situ* seed baiting techniques to detect mycorrhizal fungi from terrestrial orchid habitats
M. C. Brundrett, A. Scade, A. L. Batty, K. W. Dixon & K. Sivasithamparam 1210

Local variations in microfungal populations on *Pinus sylvestris* needles
F. Gourbière & D. Debouzie 1221

Ophiostoma kryptum sp. nov. from *Larix decidua* and *Picea abies* in Europe, similar to *O. minus*
K. Jacobs & T. Kirisits 1231

Albatrellus citrinus sp. nov., connected to *Picea abies* on lime rich soils
S. Ryman, P. Fransson, H. Johannesson & E. Danell 1243

Book reviews
Onygenales: *the dermatophytes, dimorphics and keratin degraders in their evolutionary context* – Leptographium-*species* – *Higher Fungi of Tropical China*

PART 11 NOVEMBER 2003

Mycological Research News 1249
In this issue – Davidiella, *a new generic name for the teleomorph of* Cladosporium s. str. – *Will European forest fires favour* Neurospora *ascomata?* – *Programmed cell death alive and well in fungi* – *Complex conidia as branched hyphal systems*

Review
The mechanistic basis of interactions between mycorrhizal associations and toxic metal cations
A. A. Meharg 1253

Papers
Molecular phylogenetic study at the generic boundary between the lichen-forming fungi *Caloplaca* and *Xanthoria* (*Ascomycota, Teloschistaceae*)
U. Sochting & F. Lutzoni 1266

Phylogenetic relationships of *Termitomyces* and related taxa
T. G. Froslev, D. K. Aanen, T. Læssoe & S. Rosendahl 1277

Molecular phylogeny of the *Leptosphaeria maculans–L. biglobosa* species complex
E. Mendes-Pereira, M.-H. Balesdent, H. Brun & T. Rouxel 1287

Can ascospore ultrastructure differentiate between the genera *Linocarpon* and *Neolinocarpon* and species therein?
Yanna, W. H. Ho & K. D. Hyde 1304

Diversity of the *Hyaloperonospora parasitica* complex from core brassicaceous hosts based on ITS rDNA sequences
Y.-J. Choi, S.-B. Hong & H.-D. Shin 1313

Genetic diversity in potato field populations of *Thanatephorus cucumeris* AG-3, revealed by ITS polymorphism and RAPD markers
A. F. Justesen, D. Yohalem, A. Bay & M. Nicolaisen 1322

Development of single-copy RFLP markers for population genetic studies of *Phialocephala fortinii* and closely related taxa
C. R. Grünig, C. C. Linde, T. N. Sieber & S. O. Rogers 1331

Host-parasite relationships among bolete infecting *Hypomyces species*
G. W. Douhan & D. M. Rizzo 1341

Occurrence and characterization of hypovirulence in the tan sclerotial isolate S10 of *Sclerotinia sclerotiorum*
G.-Q. Li, H. C. Huang, A. Laroche & S. N. Acharya 1349

Spatiotemporal distribution of airborne mould spores in apartments
O. Herbarth, U. Schlink, A. Müller & M. Richter 1360

Obituary
Colin Booth (1924–2003): a leading authority on fusaria
B. C. Sutton & G. B. Butterfill 1371

Book reviews
Fungi in Ecosystem Processes – Biology and Conservation of Mushrooms – Cultural Heritage and Aerobiology 1375

Erratum 1376

PART 12 DECEMBER 2003

Mycological Research News 1377
In this issue – European Mycological Association (EMA) founded – Sudden death of soybean

Phylogenetic relationships of *Phytophthora ramorum*, *P. nemorosa*, and *P. pseudosyringiae*, three species recovered from areas in California with sudden oak death
F. N. Martin & P. W. Tooley 1379

Molecular systematics of the *Amphisphaeriaceae* based on cladistic analyses of partial LSU rDNA gene sequences
R. Jeewon, E. C. Y. Liew & K. D. Hyde 1392

Tholurna dissimilis and generic delimitations in *Caliciaceae* inferred from nuclear ITS and LSU rDNA phylogenies (*Lecanorales*, lichenized ascomycetes)
L. Tibell 1403

On the phylogeny of some polyketide synthase genes in the lichenized genus *Lecanora*
M. Grube & J. Blaha 1419

Genetic differentiation of the *Aspergillus* section *Flavi* complex using AFLP fingerprints
D. Montiel, M. J. Dickinson, H. A. Lee, P. S. Dyer, D. J. Jeenes, I. N. Roberts, S. James, L. J. Fuller, K. Matsuchima & D. B. Archer 1427

Identification of the biological species of *Armillaria* associated with *Wynnea* and *Entoloma abortivum* using PCR-RFLP analysis of the intergenic region (IGR) of ribosomal DNA
M. Fukuda, E. Nakashima, K. Hayashi & E. Nagasawa 1435

A group I intron-like sequence in the nuclear small ribosomal subunit gene of the ophiostomatoid fungus *Gondwanamyces proteae*
E. A. Gibb & G. Hausner 1442

Molecular detection of ascomycetes associated with *Fucus serratus*
A. Zuccaro, B. Schulz & J. I. Mitchell 1451

The North American mushroom competitor, *Trichoderma aggressivum* f. *aggressivum*, produces antifungal compounds in mushroom compost that inhibit mycelial growth of the commercial mushroom *Agaricus bisporus*
O. A. Krupke, A. J. Castle & D. L. Rinker 1467

Comparison of non-linear temperature-dependent development rate models applied to *in vitro* growth of entomopathogenic fungi
N. Smits, J.-F. Brière & J. Fargues 1476

Dynamics of *Rhynchosporium secalis* pathotypes in relation to barley cultivar resistance
K. Xi, T. Turkington, J. Meadus, J. Helm & J. Tewari 1485

Erratum 1493

Contents Volume 107 (1–12)